Plurals Time Stamp	N 2007/05/15 17:40	N 2007/05/15 17:42	N 2007/05/15 17:49	N 2007/05/15 17:51	N 2007/05/15 17:52	N 2007/05/15 17:52
Default Pl	OR .	OR	OR ON	OR ON	OR	OR
DBs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT;
Search Query	370/328.ccls.	"736698".ap.	((base adj2 station) radio\$base rbs) and ((mobile adj2 station) portable remote handheld)	S3 and (channel link) with (quality condition type)	S4 and modulation with (type scheme)	S5 and buffer\$3
Hits	2356	φ .	83961	21350	4099	1523
Ref #	21	25	23	S4	S2	98

S	410	S6 and (determi\$4 with modulation)	US-PGPUB;	OR	N O	2007/05/15 17:54
			USPAI; EPO; JPO; DERWENT; IBM_TDB			
S10	216	S9 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 09:40
S11	83961	((base adj2 station) radio\$base rbs) and ((mobile adj2 station) portable remote handheld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	8°.	N O	2007/05/16 07:49
S12	21350	S11 and (channel link) with (quality condition type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/16 10:10
S13	4099	S12 and modulation with (type scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 09:38
S14	1523	S13 and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/16 07:49
S15	410	S14 and (determi\$4 with modulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/16 07:49

2007/05/18 10:29	2007/05/16 07:50	2007/05/16 08:44	2007/05/16 08:46	2007/05/16 10:11	2007/05/16 10:10	2007/05/16 10:11
NO	NO .	NO	NO	NO	NO	NO
OR	S.	OR	OR.	SO.	SO.	OR.
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
216 S15 and (@ad<="20021217" or @rlad<="20021217")	27 S16 and pad\$3	14 S16 and (pad\$3 or fill\$3) near3 (bit character)	(channel link) near4 quality and (amount size) near3 (data buffer\$3)and modulation near3 (type scheme)	988 S19 and (@ad<="20021217" or @rlad<="20021217")	954 S11 and adaptive near3 modulation	469 S21 and (@ad<="20021217" or @rlad<="20021217")
N						
S16	S17	818	819	220	S21	225

2007/05/16 10:20	2007/05/16 10:54	2007/05/16 10:56	2007/05/16 11:19	2007/05/16 12:18	2007/05/16 12:10	2007/05/16 12:10
NO	N O	N O	N O	NO	N O	ON
SO.	R	R	R	R	R	OR
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22 and (amount size) near4 data	S22 and (amount size) near4 (data buffer\$3)	S22 and (amount size) near4 (data buffer\$3) same less with ((transmission adj2 block adj2 size) or TBS)	S22 and (amount size) near4 (data buffer\$3) and ((transmission adj2 block adj2 size) or TBS)	S22 and (amount size) near4 (data buffer\$3) and ((transmission adj2 block) or TBS)	"6330288".pn.	"6167031".pn.
186	189	0	12	25	7	7
823	S24	S25	226	227	828	823

S30	26	S22 and (amount size quantity) near4 (data buffer\$3) and ((transmission adj2 block) or TBS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO	2007/05/16 12:20
S31	198	S22 and (amount size quantity) near4 (data buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	NO 4	2007/05/16 12:21
232	278	S22 and (amount size quantity) same (data buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/16 12:21
233	20	(modulation with (type scheme) or (adaptive near3 modulation)) same (buffer with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 10:54
S34	32	S33 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/17 09:48
535	26	(modulation with (type scheme) or (adaptive near3 modulation)) same ((buffer\$ queue) with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO ,	2007/05/21 07:41
236	48	S35 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	NO	2007/05/17 12:56

S37	107	(modulation with (type scheme) or (adaptive near3 modulation)) same ((buffer\$ queue) with (size amount))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO	2007/05/17 10:12
238	09	S37 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/17 10:55
239	280	(modulation with (type scheme) or (adaptive near3 modulation)) same (pad\$5 stuff\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/17 12:54
540	215	S39 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	S	2007/05/17 10:55
241	3926	(modulation with (type scheme) or (adaptive near3 modulation)) same (pad\$5 stuff\$3 wad\$4 fill\$3 pack\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	S	2007/05/17 12:55
242	1907	(modulation with (type scheme) or (adaptive near3 modulation)) with (pad\$5 stuff\$3 wad\$4 fill\$3 pack\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/17 12:57
243	1003	S42 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	NO	2007/05/17 12:57

2007/05/17 15:52	2007/05/17 15:53	2007/05/17 16:36	2007/05/17 16:43	2007/05/17 16:22	2007/05/17 16:23	2007/05/17 16:26
NO	NO CONTRACTOR	NO	NO	NO	NO	NO
8	80	OR.	8	OR	80	80
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	USPAT; USPAT; EPO; JPO; DERWENT;	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB				
(modulation with (type scheme) or (adaptive near3 modulation)) with (pad\$5 stuff\$3 wad\$4 fill\$3 packing)	S44 and (@ad<="20021217" or @rlad<="20021217")	throughput with (pad\$5 stuff\$3 wad\$4 fill\$3)	S46 and (@ad<="20021217" or @rlad<="20021217")	S47 and modulation	"20030147371".pn.	"7133379".pn.
186	133	3451	2718	128	N.	2
244	S45	246	247	848	849	820

EAST Search History

24 throu		throughput with (minimum near3 (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB;	OR	NO	2007/05/17 16:41
			EPO; JPO; DERWENT; IBM_TDB			
4 (transmissio	smissio	(transmission near4 size) with (minimum near3 (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	N O	2007/05/17 16:42
200 (transmissic	smissic	(transmission near4 size) with ((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	NO	2007/05/17 16:47
145 S53 and (@	g) pue	S53 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	NO	2007/05/17 16:47
17 (transmissi	smissi	(transmission near4 size) with (minim\$3 with (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	NO	2007/05/17 16:52
9) SSS and (@)) pue	S55 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO	2007/05/17 16:53
45316 (minim\$3	iim\$3	(minim\$3 with (pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 16:52

5/22/2007 4:23:06 PM C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\Chen.wsp

2007/05/17 16:57	2007/05/17 16:57	2007/05/18 10:28	2007/05/17 17:05	2007/05/17 17:05	2007/05/17 17:05	2007/05/17 17:05
ON 26	ON 20	ON 26	ON 20	00 SC	ON 20	ON 20
0	· · · · · · · · · · · · · · · · · · ·	O	C	· · · · · · · · · · · · · · · · · · ·	<u> </u>	<u> </u>
8	8	<u>8</u>	S S	S S	& S	8
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	USPAT; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB				
(([#3])						
modulation with (minim\$3 with (pad\$5 stuff\$3 wad\$4 fill\$3))	S58 and (@ad<="20021217" or @rlad<="20021217")	modulation near4 ((pad\$5 stuff\$3 wad\$4 fill\$3))	S60 and (@ad<="20021217" or @rlad<="20021217")	S61 and ("370".clas. or "455".clas.)	modulation with ((pad\$5 stuff\$3 wad\$4 fill\$3))	S63 and ("370".clas. or "455".clas.)
39	29	612	459	52	2037	181
828	828	098	S61	295	S63	S64

S65	140	S64 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB;	O.R.	NO	2007/05/17 17:36
			EPO; JPO; DERWENT; IBM_TDB			
995	Ŋ	(transmission adj2 unit adj2 size) with ((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT;	S S	NO	2007/05/18 10:25
			EPO; JPO; DERWENT; IBM_TDB			
267	85	modulation near4 (type scheme) with((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/18 11:18
898		S67 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/18 11:19
695	432	modulation near4 (type scheme)same((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/18 11:17
S70	48	modulation near4 (type scheme choice chosen) with((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/18 11:19
571	448	modulation near4 (type scheme choice chosen) same((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S. S	NO	2007/05/18 12:03

S72	342	S71 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/18 12:05
S73	882	S72 and ("370".clas. "455.clas")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/18 12:05
574	429260	(reduc\$3 minim\$5) same((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 07:13
S75	199648	(reduc\$3 minim\$5) with((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	N _O	2007/05/18 12:10
S76	1361	S75 and ("370".clas. "455.clas")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/18 12:58
277	1104	S76 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR S	NO O	2007/05/18 12:10
878	388	(reduc\$3 minim\$5) with((pad\$5 stuff\$3 wad\$4 fill\$3)) same modulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	O.	NO	2007/05/21 13:17

			!			
879	325	S78 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NO NO	NO O	2007/05/18 12:17
280	59	S79 and ("370".clas. "455.clas")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S S S S S S S S S S S S S S S S S S	N O	2007/05/18 12:16
281	1166	(reduc\$3 minim\$5) same((pad\$5 stuff\$3 wad\$4 fill\$3)) same modulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	N O	2007/05/18 12:16
282	86	S81 and ("370".clas. "455.clas")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	N O	2007/05/21 07:32
583	48	S82 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	N O	2007/05/18 12:48
284	103	(transmission near4 size) same (modulation near4 (type scheme choice))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	N O	2007/05/18 12:53
285	45	S84 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO	2007/05/18 12:59

5/22/2007 4:23:06 PM C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\Chen.wsp

2007/05/18 12:53		2007/05/18 12:58		2007/05/21 07:32	2007/05/21 09:44	2007/05/21 07:38	2007/05/21 08:35	2007/05/21 07:38
NO		NO		NO	NO O	NO O	NO O	NO
S.		OR.		OR	OR	OR S	OR	QR
US-PGPUB;	USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT;	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3 (transmission near4 size) same (modulation near4 (type scheme choice))same	(pad\$5 stuff\$3 fill\$3)	287 S75 and ("341".clas.)		236 S87 and (@ad<="20021217" or @rlad<="20021217")	69337 (pad\$5 stuff\$3 wad\$4 fill\$3) with (optim\$7 or optimal\$3 or efficien\$3)	54989 S89 and (@ad<="20021217" or @rlad<="20021217")	564 S90 and ("370".clas. "455.clas" "458".clas.)	81490 (pad\$5 stuff\$3 wad\$4 fill\$3 overhead) with (optim\$7 or optimal\$3 or efficien\$3)
286		282		88 88 88	688	2 06S	S91	8 8

1	2007/05/21 08:48	2007/05/21 09:45	2007/05/21 08:48	2007/05/21 08:39	2007/05/21 08:40	2007/05/21 08:47	2007/05/21 08:48
	NO	NO .	NO	NO	NO	NO	NO
	OR	8	8	8	8	S S	S.
	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	S92 and (@ad<="20021217" or @rlad<="20021217")	593 and ("370".clas. "455.clas" "458".clas.)	S94 and (modulation with (type scheme) or (adaptive near3 modulation))	S91 and (transmission adj2 unit adj2 size)	Hashem .in.	. (pad\$5 stuff\$3 wad\$4 fill\$3) with throughput	S98 and (modulation with (type scheme) or (adaptive near3 modulation))
	64236	1925	291	11	380	3451	63
	S93	S94	295	96S	297	865	665

5/22/2007 4:23:06 PM C:\Documents\EAST\Workspaces\Chen.wsp

S10 0	ж	S99 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	NO	2007/05/21 09:45
S10 1	3007767	(pad\$5 stuff\$3 wad\$4 fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO O	2007/05/21 09:44
S10 2	18732	S101 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	N O	2007/05/21 13:03
33	15191	S102 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	NO ·	2007/05/21 13:04
S10 4		S103 and minim\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	N O	2007/05/21 09:46
5	364	S104 and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S.	N O	2007/05/21 13:12
S10 6	228	S105 and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:01

5/22/2007 4:23:06 PM C:\Documents and Settings\gvianadiprisco\My Documents\EAST\Workspaces\Chen.wsp

\$10	1381	S89 and minim\$3 near4 (pad\$4 stuff\$3)	US-PGPUB;	OR.	NO	2007/05/21 13:03
\			USPAI; EPO; JPO; DERWENT; IBM_TDB			
S10 8	0	S106 and minim\$3 near4 (pad\$4 stuff\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:15
S10 9	28	S107 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S. S	NO .	2007/05/21 13:13
S11 0	47	S109 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:13
S11 1	0	"l47" and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:12
S11 2	0	S107 and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:12
S11 3	71	S89 and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 13:19

S11	31	S113 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO .	2007/05/21 13:18
5.	16	S114 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/21 13:18
S11 6	0	S115 and minim\$3 near4 (pad\$4 stuff\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	NO	2007/05/21 13:17
511	82296	(reduc\$3 minim\$5) near4 ((pad\$5 stuff\$3 wad\$4 fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:18
S11 8	620	S117 and ("370".clas. "455.clas" "458".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/21 13:18
S11 9	490	S118 and (@ad<="20021217" or @rlad<="20021217")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N _O	2007/05/21 13:28
\$12 0	6	S119 and (channel adj2 quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N _O	2007/05/21 14:05

<u> </u>	S119 and (modulation adj2 (type scheme))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	g S	N O	2007/05/21 14:06
147	S119 and (channel link) near4 (type characteristics quality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SO.	NO C	2007/05/21 14:06
32	S122 and (modulation adj2 (type scheme choice))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	N O	2007/05/21 14:07
52	(US-20040184417-\$ or US-20040081181-\$ or US-20050180450-\$ or US-20040219923-\$ or US-20040198294-\$ or US-20030202478-\$ or US-20040219923-\$ or US-20060114935-\$ or US-20050153726-\$ or US-20060205425-\$ or US-20060146863-\$ or US-20060121856-\$ or US-20060176839-\$ or US-20040109424-\$ or US-20030148780-\$ or US-20030022672-\$ or US-20020181436-\$).did. or (US-6570225-\$ or US-7050413-\$ or US-6359901-\$ or US-6088386-\$ or US-6553540-\$ or US-6721302-\$).did. or (EP-1381180-\$).did.	US-PGPUB; USPAT; EPO	OR	NO	2007/05/21 14:34
&	S124 and Pad\$4	US-PGPUB; USPAT; EPO	OR	NO	2007/05/21 14:54
m	S124 and (Pad\$4 and buffer\$3)	US-PGPUB; USPAT; EPO	OR S	NO	2007/05/21 15:14
10	S124 and (channel adj2 quality)	US-PGPUB; USPAT; EPO	OR.	NO	2007/05/21 14:55
	S124 and pad\$4 and (channel adj2 quality)	US-PGPUB; USPAT; EPO	OR .	NO	2007/05/21 14:56

2007/05/21 14:56	2007/05/21 14:56	2007/05/21 15:03	2007/05/21 15:03	2007/05/21 15:14
8	NO	NO	NO	8
S.	g	R	g	8
US-PGPUB; USPAT; EPO	US-PGPUB; USPAT; EPO	US-PGPUB; USPAT; EPO	US-PGPUB; USPAT; EPO	US-PGPUB; USPAT; EPO
0 S124 and pad\$4 and (link adj2 quality)	0 S124 and pad\$4 and (transmission adj2 quality)	2 S124 and pad\$4 and ((transmission cahnnel link) near3-quality)	3 S124 and pad\$4 and ((transmission cahnnel link) near3 (quality characteristics))	4 S124 and (Pad\$4 and (buffer\$3 memmory queue))
5		· · · · · · · · · · · · · · · · · · ·		4
S12 9	S13 0	S13 ·	S13 .2	S13 3